

Sybil Brand Commission For Institutional Inspections

Jails	Prob	ation Cam	os Sheriff Stations
			DATE
G = Good	S = Sati	isfactory U	= Unsatisfactory N/A = Not Applicable
R.A	TING		COMMENTS
	G = Good		G = Good S = Satisfactory U

STAFFING LEVELS	ADEQUATE	INADEQUATE
LOCATION SPECIFIC & OTHER	COMPLIANCE	NON-COMPLIANCE
RELEVANT TRAINING	CONFLIANCE	NON-CONFLIANCE
FACILTY ORIENTATION CHECK OFF LIST FOR NEW AND	YES □	NO 🗆
OVERTIME EMPLOYEES		
ALL RECENT USE OF FORCE (Last 30 days)	YES	NO 🗆
RECENT ASSAULT ON STAFF (Last 30 days)	YES 🗆	NO D IF YES, HOW MANY?
IS THERE TURNOUT GEAR?	YES	NO 🗆
IS IT SIZE APPROPRIATE?	YES	NO 🗆
RADIO WORKS INSIDE FACILTIY ADEQUATELY	YES	NO 🗆
REPEATER(S) FUNCTIONING? (ANTENA)	YES	NO 🗆
A-PHONE OPERABLE (COURTHOUSE)	YES	NO 🗆
APPROPRIATE FIRE CLEARANCE MAINTAINED (CAMPS)	YES 🗆	NO 🗆
UNFILLED BACK LOG ORDER(S) (MAINTENANCE/EQUIPMENT)	YES 🗆	NO LENTH OF TIME?
PRIOR COMMAND INSPECTIONS	YES 🗆	NO DATE CONDUCTED
PRIOR GRAND JURY INSPECTON	YES 🗆	NO DATE CONDUCTED
PRIOR CUSTODY SUPPORT INSPECTION	YES 🗆	NO 🗆
JUVENILE JUDGES INSPECTION	YES 🗆	NO 🗆
DEPARTMENT POLICY & PROCEDURES MANUAL	YES 🗆	NO 🗆
TITLE 15 INFORMATION	YES 🗆	NO 🗆
EVACUATION PLAN (POSTED)	YES 🗆	NO 🗆
SAFETY DRILLS CONDUCTED	YES 🗆	NO DATE CONDUCTED
FIRST AID KIT	YES 🗆	NO 🗆
SUICIDE KIT	YES 🗆	NO 🗆
FACILITY MEDICAL & DENTAL EQUIPMENT OPERABLE	YES 🗆	NO 🗆
REPORT TO BOARD OF SUPERVISORS:	YES NO	
REPORT TO BOARD OF COLERVICORS.	12010	
REPORT TO DCFS: YESNO	REPORT TO PR	OBATION DEPT: YESNO
SPECIAL FOLLOW-UP: YESNO	_	
COMMENTS:		

